

## ATEM 2 M/E Broadcast Panel



The incredible ATEM 2 M/E Broadcast Panel has the power for the most complex live broadcast events and it's perfect when you have the space for a large panel and need all the control at your fingertips. The ATEM 2 M/E Broadcast Panel features an amazing design that not only looks incredible, but perfectly positions all controls just where you need them for the ultimate creativity on complex multi layer live production. The ATEM 2 M/E Broadcast Panel connects via ethernet and includes loop thru for your media management computer.

**\$14,995**


### Connections

#### Ethernet

10/100/1000 BaseT with loop output for additional control panels or computers.

#### Software Updates

1 x USB for firmware updates.



### Software

#### Software Applications

ATEM Software Control Panel.

### Operating Systems



Mac OS X 10.10 Yosemite,  
Mac OS X 10.11 El Capitan  
or later.



Aerospace Certified Embedded OS.

Windows 8.1 64-bit or  
Windows 10 64-bit.

Aerospace Certified Embedded OS.


Product Specifics

<b>Direct Cross Points</b> 20	<b>On-Air indicator</b> Yes	<b>Menu Control</b> LCD Bitmap Buttons.
<b>Shifted Cross Points</b> 40	<b>DSK Transition Selectors</b> Auto, Cut, Tie/Pvw.	<b>Fader Bar</b> 2
<b>Crosspoint Button Type</b> Tri-Color LED.	<b>Preview Transition</b> Yes	<b>3 Axis Joystick</b> Yes
<b>Crosspoint Label</b> High Contrast RGB Bitmap.	<b>Transition Rate Displays</b> Yes	<b>Numeric Keypad</b> Yes
<b>Next Transition Selectors</b> BKG, Key 1 - Key 2 (per M/E).		

Power Requirements

<b>Redundant Power</b> Yes	<b>Input Voltage</b> 100V to 240V for internal power supply.	<b>Power Usage</b> 70W
-------------------------------	---	---------------------------

Physical Specifications



Environmental Specifications

<b>Operating Temperature</b> 0-40 degrees celsius	<b>Storage Temperature</b> -20 - 60 degrees celsius	<b>Relative Humidity</b> Up to 95%
--	--	---------------------------------------

What's Included

ATEM 2 M/E Broadcast Panel  
Power Supply

---

## Warranty

### **Product Warranty**

12 Month Limited Manufacturer's Warranty

---

### **Repair policy**

Warranty details can be found in the ATEM Switchers Operation Manual in the support page at [www.blackmagicdesign.com](http://www.blackmagicdesign.com)

---

All items on this website are copyright Blackmagic Design Pty. Ltd. 2016, all rights reserved.

All trademarks are property of their respective owners. MSRP excludes sales taxes/duties and shipping costs.

Blackmagic Design Authorized Reseller